



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



UNDER REVIEW
URF 19-1100 19.12.30 (VM)



NOTE:
REF. PRATT & WHITNEY T/N: PWC70938.

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	FRAME	6061	1-1/4 X 4 X 4-5/8	2
			-3	1	BOLT	ALL THREAD	5/8-11 UNC X 4-5/8	3
			-5	1	DISC	6061	Ø2-3/8 X 7/8	4
		B/O	-7	1	HELICAL INSERT	18-8 S.S.	5/8-11 X 1 MCMaster-CARR #91732A218	1
		B/O	-9	1	PAN HEAD SCREW	STEEL	1/4-28 X 1/2 MCMaster-CARR #90272A620	1
		B/O	-11	1	WASHER	STEEL	1/4 MCMaster-CARR #94744A240	1




RED BARN MACHINE		
TITLE		
PULLER		
DWG NO.		REV
RB PWC70938		
MAT'L		DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D Weil</i>
.XXX ± .005		HEAT TREAT
.XX ± .01		FINISH
.X ± .1		SPEC
1. BREAK ALL SHARP EDGES .015 x 45°		
OR .015R		
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL
		PT6C-67, PT6C-67C, PT6C-67D
SCALE	1:2	DATE 5/8/2014
		SHEET 1 OF 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



SECTION A-A





UNDER REVIEW
URF 19-1100 19.12.30 (VM)


 RED BARN MACHINE	
PULLER	
DWG NO. RB PWC70938-1	
MAT'L 6061	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:2	
DATE 5/7/2014	
SHEET 2 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED




(-3)
BOLT



 RED BARN MACHINE	
TITLE PULLER	
DWG NO. RB PWC70938-3	REV
MAT'L ALL THREAD	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 .XX ± .01 .X ± .1	HEAT TREAT FINISH BLACK ANODIZE
FRACTIONS ± 1/32 ANGLES ± 5°	SPEC MIL-A-8625F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	PT6C-67, PT6C-67C, PT6C-67D
SCALE 1:1	DATE 5/8/2014
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL





SECTION B-B



UNDER REVIEW
URF 19-1100 19.12.30 (VM)

(-5)
DISC

 RED BARN MACHINE	
TITLE PULLER	
DWG NO. RB PWC70938-5	REV
MAT'L 6061	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	APPROVED 
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	HEAT TREAT FINISH BLACK ANODIZE SPEC MIL-A-8625F, TYPE II, CLASS II USED ON MODEL PT6C-67, PT6C-67C, PT6C-67D
SCALE 1:1	DATE 5/8/2014
SHEET 4 OF 4	